

# PETRO INDUSTRIAL



petroind.com



110% Self Bunded

## BAFFLED PC CUBE SERIES

Suitable for the storage and dispensing of Diesel, Kerosene, Lubricants, Petrol and Waste Oil.

The PC Cube is a market leading self bunded tank, with versatile under-hatch connections and an intelligent design certified for lifting when full (Up to PC6.6).



### FEATURES:

- Unique tank in tank design approved to UL142 / ULCS601 / AS1940, AS1692, AS1170, AS4100, AS1554.1 / BS799 / PPG2.
- Certified Crane Lifting Points (Up to and including PC6.6)
- Removable manway for ease of maintenance.
- The outer tank will hold 110% of the inner tank's capacity.
- UN31A/Y approved for the transport of Dangerous Goods by Road, Rail and Sea, Packaging Groups II & III. (PC0.66 - PC2.25)
- Lockable hatch lid with access for hoses, under hatch sockets and suction spears can operate with the hatch closed.
- Additional 50mm (2") hose entry and exit sockets on top of tank.
- Secure under-hatch generator hose suction and return points, to accommodate up to 3 generators.
- 4 x way forklift pockets.
- Incremental dipstick.
- Stackable - 3-high empty and 2-high when full.
- Supplied with all required statutory decals.
- Movable when full



We are proud to announce that **PETRO Industrial** has passed all of the audits and scrutiny applied by SAI Global, leading to the certification of our Quality Systems and Processes to **ISO9001:2015**.

View online at:  
[www.petroind.com](http://www.petroind.com)





## PRODUCT RANGE:

Please see the range of PETRO PC Cube Self Bunded Tanks below:

| Code    | Gross Volume (L) | Safe Fill Level (L) | External Dimensions (L x W x H) (mm) | Tare Weight (kg) |
|---------|------------------|---------------------|--------------------------------------|------------------|
| PC 0.66 | 660              | 600                 | 1374 x 1086 x 810                    | 451              |
| PC 1.1  | 1100             | 1000                | 1374 x 1086 x 1270                   | 594              |
| PC 2.25 | 2250             | 2000                | 2294 x 1086 x 1270                   | 885              |
| PC 3.3  | 3300             | 3000                | 2294 x 1546 x 1270                   | 1096             |
| PC 4.5  | 4500             | 4000                | 2294 x 2084 x 1270                   | 1328             |
| PC 6.6  | 6600             | 6000                | 2966 x 2294 x 1270                   | 1809             |
| PC 8.8  | 8800             | 8000                | 3916 x 2294 x 1270                   | 2170             |
| PC 11   | 11000            | 10000               | 4876 x 2294 x 1270                   | 2689             |

## COMES WITH:

- 1 x 25mm (1") Suction Spear
- 2 x 13mm (1/2") Suction Spear
- 3 x 40mm (1 1/2") Return Point
- 1 x Spare 80mm (3") Socket
- 4 x Spare 50mm (2") Socket Top of Tank
- 50mm (2") Fill Point - Splash Fill Only
- Incremented Dip Stick (Select Models)
- Statutory Signage
- 4 Way Forklift Pockets
- Certified Lift Full Crane Lugs on Each Corner (Up to and including PC6.6)
- Finish Painted PETRO White Marine Specification

# PETRO INDUSTRIAL



petroind.com



## CERTIFICATIONS




Certificate of Compliance #20121129-MH49493 for UL 142, ULC-S601, and ULC-S653.




WS10 Proof Load Test Certificate Nata v2.2, #1,548. Accreditation No. 17109. Accredited for Compliance with ISO/IEC 17025.



Decals manufactured to comply with AS1319 and AS2700.



Internal Piping Dimensions Compliance Review Final Report. AS1692 and AS1940.



Cube Range AS1692 and AS1940 Compliance Verification.

# PETRO Contact Information

## AUSTRALIA

### Australia HQ

Factory 2, 106 Potassium Street

PO Box 407

Narangba QLD 4504

P: 07 3204 9558

E: sales@petroindustrial.com.au

## INTERNATIONAL BRANCHES

### South Africa

Factory 14 Bentonite Street

Alrode, Alberton, Johannesburg

South Africa

P: +27 (0)11 864 7758

F: +27 (0) 11 864 1649

E: sales@petroindustrial.co.za

### Dubai

Office LB17233, Lobby Building 17

Jebel Ali Free Zone

PO Box 18602

Dubai, United Arab Emirates

P: +971 488 76688

F: +971 488 76932

E: salesuae@petroind.com

# PETRO INDUSTRIAL



[petroind.com](http://petroind.com)